



RAJASTHAN STATE POLLUTION CONTROL BOARD

F / 470, Madri Ind. Area, Udaipur

Phone: 0294-2491269



Registered

F(BMW)/Udaipur(Girwa)/6215(1)/2021-2022/139-140

Date: 10/05/2021

Unit Id : 986

FORM IV

(SEE Rule 10 of BMW Rules, 2016)

(Authorization for operating a facility for Generation, Storage of Biomedical Wastes)

- 1 Authorization Letter No. BMW/2021-2022/Udaipur/BMW/5.
- 2 **Naveen Kumar Sharma, Whole Time Director of Udaipur Cement Works Ltd.(J.K. Udaipur Udyog Ltd.) is hereby granted an authorization under Rule 10 of Bio-Medical Waste (Management & Handling) Rules, 2016 (BMW Rules,2016) to operate a facility for Generation, Storage of biomedical waste on the premisses situated at Shripati nagar PO CFA 313021, Daroli, Tehsil Girwa, District Udaipur.**
- 3 This authorization shall be in force for a period from 12/04/2021 to 31/03/2026 .
- 4 This authorization is valid for operation of the Dispansaries with 2 (two) number of beds.
- 5 This authorization is subject to the conditions contained in enclosed annexure and to such other conditions/guidlines as may be specified under BMW Rules, 2016 by Central Pollution Control Board, Delhi or Ministry of Environment & Forests(MoEF), Government of India (GOI) or Department of Environment (DOE), Government of Rajasthan (GOR).
- 6 Segregation, packing, transportation, storage, treatment & disposal of bio medical waste shall be in accordance with Rule 7 & 8 of BMW Rules, 2016. The bio medical waste shall be disposed of at Common Biomedical Waste Treatment & Disposal Facility (CBMWTDF) established for the area viz M/S.ENVISION ENVIRO ENGINEERS PVT.LTD.
- 7 The mercury bearing waste arising due to breakage of thermometers,pressure gauges and other instruments is not to be treated as bio-medical waste or other solid waste.The mercury bearing waste is to be segregated, collected , stored and disposed in accordance with the provisions of Hazardous Waste and other wastes (Management and Transboundary Movement) Rules, 2016.
- 8 The Annual report in accordance with Rule 13 for the period 1st January to 31st December of previous year shall be submitted On or before 30th June of every year in form - IV as prescribed in the Rules and the annual report shall also be made available on the web-site of the occupier. Further, all the health care facilities shall develop their website within two years from the date of notification of the BMW Rules,2016, in case not already developed.



**RAJASTHAN STATE POLLUTION CONTROL BOARD**

**F / 470, Madri Ind. Area, Udaipur**

Phone: 0294-2491269

Registered

**F(BMW)/Udaipur(Girwa)/6215(1)/2021-2022/139-140**

**Date: 10/05/2021**

**Unit Id : 986**

- 9 The hospital shall maintain the record of biomedical waste as per Rule 14 & shall be produced during the inspection.
- 10 That the hospital shall phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of the BMW Rules, 2016.
- 11 That the hospital shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one years from the date of the notification of the BMW Rules, 2016.
- 12 That the hospital shall provide training to all its health care workers and others, involved in handing of bio-medical waste at the time of induction and thereafter at least once every year and the details of training programs conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report.
- 13 The application for renewal of authorization shall be submitted online in prescribed form along with requisite fee, affidavit, assessment format, annual report & copy of valid agreement with CBMWTDF at least 120 days before the date of expiry of this authorization.
- 14 In case of expansion in bed capacity or increase in pollution load, the hospital shall obtain prior Consent to Establish under Water (Prevention and Control of Pollution)Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 & revised Authorization under BMW Rules, 2016.
- 15 That the hospital shall comply the provisions of Bio-medical Waste Management Rules, 2016.
- 16 That the hospital shall comply with the standards for treatment disposal of Boi-medical Waste as specified under schedule II of Boi-medical Waste Management Rules, 2016.
- 17 That infected hospital liquied waste must be given chemical treatment by using at least 10% hypochlorite solution or any other equivalent chemical reagent to ensure required disinfection as prescribed in part-2 of schedule-I of the Rules.



**RAJASTHAN STATE POLLUTION CONTROL BOARD**

**F / 470, Madri Ind. Area, Udaipur**

Phone: 0294-2491269

Registered

**F(BMW)/Udaipur(Girwa)/6215(1)/2021-2022/139-140**

**Date: 10/05/2021**

**Unit Id : 986**

- 18 **It may be clarified that if hospital activities are carried on without valid authorization of the Board, it would be treated as violation of the provisions of Environment Protection Act-1986.**
- 19 **That the hospital shall submit the copy of valid agreement with CBMWTFD(i.e. En-Vision Enviro Engineers Pvt. Ltd)before expiry of present agreement, failing which this Authorization shall be treated as cancelled.**
- 20 **That the unit shall install STP (sewerage treatment plant) for treatment of domestic waste water generated from hospital utilities if required.**
- 21 **This authorization is being issued on the basis of validity of membership of CBWTF.**
- 22 **That the hospital shall maintain record of collection, storage and transportation of bio-medical waste to Common Bio-Medical Waste Treatment and Disposal Facility (CBWTFD) for disposal. The quarterly abstract related to the collection, storage, transportation and disposal shall be submitted to the H.O. and Regional Office in the format given below:**

Sr. No.	Month & Year	Disposal of bio-medical waste as per colour code (in Kg.)				Number of collection trips by CBMWTFD
		Yellow	Red	Blue / White	Black	

- 23 **This Authorization is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time being in force, rests with the hospital/ unit / project proponent.**
- 24 **This Authorization shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made there under.**





**RAJASTHAN STATE POLLUTION CONTROL BOARD**

**F / 470, Madri Ind. Area, Udaipur**

Phone: 0294-2491269

Registered

**F(BMW)/Udaipur(Girwa)/6215(1)/2021-2022/139-140**

**Date: 10/05/2021**

**Unit Id : 986**

Enclose :- Annexure

**Yours Sincerely**

**Regional Officer**

**Copy To:-**

1 Master File

**Regional Officer**

**To :**

**M/s Udaipur Cement Works Ltd.(J.K. Udaipur Udyog Ltd.)**

**Shripati nagar PO CFA, Near Dabok , Udaipur Tehsil:Mavli**

**District:Udaipur**